
Master Thesis Proposals




Federica Buccino: federica.buccino@polimi.it

Laura Vergani: laura.vergani@polimi.it



Project GAP



Mechanobiology vs.
Mechanics

Fracture Mechanics

Computational and Experimental Analysis

Project 1: GAP


Period Abroad!








Project 1: **GAP** Problem definition




Project 1: GAP Problem definition




Is it possible to perform an early diagnosis based on micro-scale fragility indexes?


Is damage influenced by micro-structural features (lacunae)?




Project 1: GAP Problem definition




Project 1: **GAP** Aim and Expectations




Project 1: GAP Experimental section



Project 1: GAP Experimental section



Project 1: GAP Experimental section



Project 1: GAP **Experimental section**


Image-Guided Failure Assessment analysis combines the micro-compression test with Synchrotron micro-Computed Tomography to


visualise bone internal microstructure, crack initiation, propagation and interaction with the lacunar network. **Experimental observations**


Crack initiation: inner bone tissue and trabecular boundaries














Expected conclusion Further developments


Image-Guided Failure Assessment analysis combines the micro-compression test with Synchrotron micro-Computed Tomography to

visualise bone internal microstructure, crack initiation, propagation and interaction with the lacunar network.

Experimental observations

- Crack initiation: inner bone tissue and trabecular boundaries
- Lamellar interfaces: sites influencing crack initiation and propagation

• Lacunar network influences the crack path








Expected conclusion Further developments

Image-Guided Failure Assessment analysis combines the micro-compression test with Synchrotron micro-Computed Tomography to

visualise bone internal microstructure, crack initiation, propagation and interaction with the lacunar network. **Experimental observations**

- Crack initiation: inner bone tissue and trabecular boundaries
- Lamellar interfaces: sites influencing crack initiation and propagation
- **Lacunar network** influences the crack path
- Ligament bridging as toughening mechanism











Expected conclusion Further developments

Tomographic images are processed with **reconstruction**, **filtering** and **stitching** procedures to obtain a 3D model of the entire sample, from which the Bone Volume fraction, Bone Volume over Total Volume (BV/TV), is computed.




More than 20 000 lacunae/mm³




Readapted from Voide et al. (2011)


2 hypotesis:





Artificial Damage Lacuna Bone




- Critical voxels
- Tip
- Sensing region
- Deletion direction vector
- Deleted voxels








Progressive damage model



Project 1: GAP Validation



Experimental validation of computational models